



## PUSH START UNIVERSAL KIT:

**Disconnect Battery before install** *(This is for safety reasons.)*

Universal Kit Requires 3 wires to be connected:



- WHITE/ORANGE- Ignition Power
- Black - Chassis Ground
- White/Black - Starter wire

STEP 1: Remove dash fuse box cover panel and Steering column cover.  
(This kit requires 3 wires to be connected. You can connect these 3 wires: power, ground and signal from under the dash.)

Step 2: (WIRING):

- **Wire 1 WHITE/ORANGE:** Connect The white/orange striped wire to ignition power, you can use an ignition aux port on your interior fusebox or you can connect it to your Key Ignition Switch Harness. The ignition power wire in the Key Ignition Switch Harness on most Hondas, is a Black wire with a Yellow Stripe.
- **Wire 2 BLACK:** Bolt the ring terminal from The Black wire to a solid chassis ground. Ensure that this terminal is properly grounded.
- **Wire 3 WHITE/BLACK:** Connect The White/Black wire to your starter wire. On most Hondas The starter wire is located in your Key Ignition Switch Harness and is a Black Wire with a White stripe





Step 3: Mount button in desired location, plug in the green button connector from your Universal kit into your button.

STEP 4: Test Button: Connect Battery, Insert your car key and turn the key to ignition. Once your fuel pump has primed up, Push Start your engine. 😊

WORLD OF WARRIORS